
ROTOPLASTICS
BARBADOS LIMITED



info@rotoplastics.com.bb
1-246-436-TANK (8265)
www.rotoplastics.com.bb

PRODUCT CATALOGUE





ROTOPLASTICS BARBADOS LIMITED

DISTRIBUTION MARKETS:

Antigua
Aruba
Bahamas
Belize
Cayman Islands
Colombia
Costa Rica
Curacao
Dominica
Dominican Republic
El Salvador
French Guiana
Grenada
Guadeloupe
Guatemala
Guyana
Haiti
Honduras
Jamaica
Martinique
Nicaragua
Panama
Peru
Puerto Rico
St.Kitts & Nevis
St. Lucia
St.Maarten
St.Vincent
Turks & Caicos
Trinidad & Tobago
Suriname
United States
British Virgin Islands
U.S Virgin Islands
Venezuela

Rotoplastics (Barbados) Limited: A Legacy of Quality and Innovation

Established in 2007, Rotoplastics (Barbados) Limited was founded as an extension of its parent company, Rotoplastics Trinidad Limited. Leveraging decades of industry expertise, the company quickly became a household name in Barbados, manufacturing and distributing its signature product—the Tuff Tank water storage tank.

Starting with a team of six employees, the company focused on expanding its market presence, not only by promoting its water tanks but also by diversifying its product range. Over time, Rotoplastics introduced complementary offerings, including Pentax Water Pumps and accessories, Island Planters plant pots, STURDY polyethylene garbage bags, and wire rope.

Operating initially from its Harbour Road facility, the company's continuous growth soon demanded a larger operational space. In 2017, a decade after its inception, Rotoplastics relocated to its current home at Webster Industrial Park, Wildey, St. Michael.

Today, Rotoplastics boasts a robust distribution network, supplying major hardware stores, supermarkets, commercial clients, state-owned enterprises (SOEs), plumbers, and contractors across Barbados.

Expanding Product Offerings and Services

The company's product portfolio has grown significantly, now including:

- Rhino Septic Tanks and Garbage Bins
- RotoCool Insulated Containers and Beverage Merchandisers
- Sturdy Rope
- Stiebel Eltron Tankless Water Heaters

In 2019, Rotoplastics took a strategic step toward enhancing customer experience by launching a dedicated Service Department. This division specializes in water system installations and repairs, supporting the Tuff Tank water tanks and Pentax water pumps and accessories. Customers now enjoy a seamless, all-in-one shopping and service experience.

As Rotoplastics (Barbados) Limited continues its journey, the company remains committed to innovation, quality, and exceptional customer service, reinforcing its position as a leader in the industry.

TUFF TANK
HEALTH GARD INNER LINING

RHINO SEPTIC TANK

FAT BOY SEPTIC TANKS

Rojo FLOAT VALVE

STIEBEL ELTRON
TANKLESS WATER HEATERS

Pentax WATER PUMPS

ROTO COOL

AQUATROL

ISLAND PLANTERS

GREASE TRAPS

STACKING TRAYS

COELBO SMARTHEAD

STURDY Rope

RHINO WASTE SOLUTIONS

DIRECTORY

01 TUFF TANK
PAGES 5-14

02 AQUATROL WATER SOFTENER
PAGES 15

03 RHINO SEPTICS
PAGES 16-19

04 GREASE TRAPS
PAGES 20

05 PENTAX WATER PUMPS
PAGES 21-25

06 COELBO SMARTHEAD
PAGE 27

07 STIEBEL ELTRON TANK-LESS WATER HEATERS
PAGES 28-31

08 ROTOCOOL
PAGES 32-38

09 STACKING TRAYS
PAGE 39

10 RHINO WASTE SOLUTIONS
PAGES 40-51

11 ISLAND PLANTERS
PAGES 52-74

12 STURDY ROPES
PAGES 75-77


TUFF TANK
HEALTH GARD
1000 Gallons
A TUFF ACT TO BEAT!
TUFF TANK
HEALTH GARD
INNER LINING

Rotoplastics is one of the Caribbean's leading manufacturers of rotationally molded polyethylene water tanks. Ideal for multi-purpose use such as: storing safe drinking water, rainwater harvesting & collection, emergency back up in home water storage tanks and farm irrigation.

MATERIAL

- 100% virgin polyethylene
- UV resistant
- Outer black layer which prevent sunlight from penetrating the tank

DEPENDABILITY:

Rugged multi-ribbed construction ensures a durable and dependable tank. TUFF TANK is built to last with our highest standards.

HEALTH GARD SAFETY LINING

Tuff Tanks are engineered using a two part system of prime grade linear polyethylene layers. The inner layer is a Food Grade FDA compliant virgin polyethylene material that ensures the safety of your drinking water.

7 YEAR MANUFACTURER'S WARRANTY



CLOSED TOP WATER TANKS



DIAMETER	36.63” | 93.03 cm
HEIGHT	56.00” | 142.24 cm
CAPACITY	232 gal | 878.22 L
OUTLET	0.75” | 1.905 cm

200 US Gallon



DIAMETER	46.64” | 118.43 cm
HEIGHT	71.50” | 181.61 cm
CAPACITY	450 gal | 1703.43 L
OUTLET	0.75” | 1.905 cm

450 US Gallon



DIAMETER	56.25” | 142.88 cm
HEIGHT	77.00” | 195.58 cm
CAPACITY	650 gal | 2460.52 L
OUTLET	0.75” | 1.905 cm

650 US Gallon



DIAMETER	63.00” | 160.02 cm
HEIGHT	89.50” | 227.33 cm
CAPACITY	878 gal | 3323.59 L
OUTLET	1.50” | 3.810 cm

800 US Gallon



DIAMETER	65.63” | 166.69 cm
HEIGHT	97.75” | 248.29 cm
CAPACITY	1085 gal | 4107.17 L
OUTLET	1.50” | 3.810 cm

1000 US Gallon



DIAMETER	79.75” | 202.57 cm
HEIGHT	121.00” | 307.34 cm
CAPACITY	2069 gal | 7832.01 L
OUTLET	2.00” | 5.080 cm

2000 US Gallon




DIAMETER	89.75” | 227.97 cm
HEIGHT	117.50” | 298.45 cm
CAPACITY	2850 gal | 10788.42 L
OUTLET	2.00” | 5.080 cm

2850 US Gallon

CLOSED & OPEN TOP TANK FEATURES:

2 LAYER CONSTRUCTION (All materials compliant with F.D.A standards)



FIRST LAYER: Health Gard® Safety Lining-antibacterial properties which prevents bacteria, fungus and algae from forming.

SECOND LAYER: Black material keeps all sunlight out which prevents algae from forming.

A THIRD LAYER is present when a premium outer colour is desired for a beautiful finish. UV resistant, and reduces heat absorption. See standard colours below.

HEALTH GARD SAFETY LINING

The inner layer of the tank is a Food Grade virgin polyethylene material that ensures the safety of your drinking water.

TUFF TOP

Cover designed with anti-sink features. Tuff Tanks have reinforced strength from the top down.

QUALITY FITTINGS

Heavy duty bulkhead fitting.

DEPENDABILITY

Rugged multi-ribbed construction ensures a durable and dependable tank, engineered to stand the test of time.

LOCKING PINS

Available for Open Top Tanks to properly secure cover to the tank body (200-1000 gal)



Standard colour

Available upon request
(At an additional charge)

TUFF TANK HEALTH GARD INNER LINING
slimLINE

SLIM LINE WATER TANKS



DIAMETER 24.50” | 62.23 cm
HEIGHT 72.50” | 184.15 cm
CAPACITY 110 gal | 416.00 L
OUTLET 0.75” | 1.905 cm

110 US Gallon



DIAMETER 28.25” | 71.76 cm
HEIGHT 80.25” | 203.84 cm
CAPACITY 191 gal | 723.00 L
OUTLET 0.75” | 1.905 cm

200 US Gallon

Standard colours

Available upon request
(At an additional charge)

TUFF TANK HEALTH GARD INNER LINING

slimLINE



SLIM LINE FEATURES:


- Designed to pass through standard doorways
- Made from Polyethylene
- Extremely durable and made to last
- For indoor and outdoor use
- Available in 110 and 200 US Gallons
- 3/4” Bulkhead fitting

SAVE SPACE WITH OUR SLIM LINE TANKS. PERFECT FOR APARTMENTS & STUDIOS

TUFF TANK HEALTH GARD INNER LINING

NEW! RAINWATER HARVESTER


A device that channels and filters rainwater to a vessel for storage and reuse.



RAINWATER HARVESTER FEATURES:

Compatible with:

- Tuff Tank Closed Top:
  400, 450, 650, 800 and 1000 Gal
- Tuff Tank CKD:
  400, 600, 800 and 1000 Gal
  Easily removable filter tray for easy maintenance





TUFF TANK ACCESSORIES

Features
Manufactured from Polypropylene
EPDM Gasket Seal
Left-Hand Threaded
Buttress threads protect against blowout

Materials
Body & Nut: Polypropylene Impact resistant Co-polymer
Gasket: Thermoplastic Elastomer
Viton gaskets also available for chemicals, solvents, alcohols and more.

Threads
Internal-NPT molded female threads.
External- Buttress left hand threads .



BULKHEAD FITTINGS



WATER FILTERS

Features

-Non-corrosive material construction

-Switch to lock in off position

-Flow stops when unscrewed for servicing

-Built in check valve

-Valve body screws apart by hand for easy servicing

-Fully adjustable float angle

-Pressure range 0-10 Bar (0-150 PSI)

-Side, Bottom and Top mounting

-Supplied with back nut and seal washer


-Extension arm included for above water mounting

-Comes with a 36” long inlet thread, back-nut and seal

-No Bulkhead fitting required



FLOAT VALVES



RAINWATER HARVESTER

PVC PIPES & FITTINGS

We have a wide range of PVC Pipes available for whatever be your application and all necessary fittings. They can be installed on surface, buried, slip lined, trench less, floating and submerged.





16” / 18” FLIP COVER
22” SCREW COVER

3-IN-1! ROJO FLOAT VALVES

ROJO FLOAT VALVE

ALL IN ONE

STEM. VALVE. FLOAT.



- TOP/SIDE/BOTTOM MOUNT
- ADJUSTABLE FLOAT ARM
- BUILT IN CHECK VALVE
- NON-CORROSIVE MATERIAL
- CONVENIENT ON/OFF SWITCH

GREAT FOR:

Water Tanks | Animal Troughs | Water Projects

AQUATROL™





THE ULTIMATE SOLUTION FOR SCALE & HARD WATER

AQUATROL 56SE WHOLE HOUSE WATER SOFTENER

VISUAL PRODUCT EXPERIENCE

Professional-Grade System

Versatile Capacities
(32k, 48k, 64k Grains)

Metered On-Demand Control
Digital Efficiency, Saves Salt & Reduces Water Waste

Premium Grade Resin
High-Capacity for Superior Mineral Removal


Easy Install
Includes Bypass Valve & NPT Adapters


Technical Specifications

Tank Size:	9" x 48" Resin Tank (up to 12" x 52" for larger capacities)
Valve Type:	Aquatrol AQT-56SE
Regeneration Method:	Metered (On-Demand)
In/Out:	1"
Resin Volume:	1.0 CF (up to 2.0 CF for 64k)
Ideal For:	1-4+ Bathrooms (Depending on Capacity)

EXPERIENCE PURE, SOFT WATER







ROTOPLASTICS BARBADOS LIMITED

RHINO®


Low Profile SEPTIC TANK



10 YEAR WARRANTY


750 & 500 GAL LP SEPTIC TANK

RHINO Low Profile SEPTIC TANK



RHINO 750 GAL Low Profile SEPTIC TANK





RHINO 500 GAL Low Profile SEPTIC TANK



DUO Dual Compartment

Dual Compartment Benefits

Wastewater enters through the inlet into the first chamber of the tank. The wastewater settles, creating 3 layers.


Microbes, naturally present in the wastewater, then break down the waste particles in the effluent. Sludge sinks to the bottom, scum rises to the top and effluent remains in the middle zone.

The treated effluent passes through the baffle wall and enters the second chamber. Another cycle of settling takes place in the second chamber before the effluent exits the tank through the outlet.



Why Choose a 2-Compartment Septic Tank?

It acts as a barrier to turbulence within the tank. It minimizes the likelihood of solids exiting the tank and clogging the soakaway.



LOW PROFILE SEPTIC TANK FEATURES

Resistant to cracking:
Rhino Septic Tanks are designed to withstand earth's pressure that would crack traditional concrete tanks.

Heavily ribbed for added rigidity and strength:
When properly installed Rhino Tanks will outlast traditional concrete tanks.

Resistant to most chemicals and compounds:
Rhino Septic Tanks are completely unaffected by any soil or sewage based substance or particles.

Lightweight and compact:
No heavy lifting equipment needed for installation.

Environmentally friendly:
Due to its seamless construction, Rhino Septic Tanks prevent untreated waste from entering the environment.


ACCESSORIES
(Sold Separately)

12" Risers

- Designed to allow above ground access for regularly scheduled maintenance.

Effluent Filter

Prevents solid waste particles from exiting the tank with the treated effluent.




12" Riser




Effluent Filter

1500 GAL SEPTIC TANK





Side View - Inlet



Side View - Outlet


Resistant to cracking:
Rhino Septic Tanks are designed to withstand earth's pressure that would crack traditional concrete tanks.

Heavily ribbed for added rigidity and strength:
When properly installed Rhino Tanks will outlast traditional concrete tanks.

Resistant to most chemicals and compounds:
Rhino Septic Tanks are completely unaffected by any soil or sewage based substance or particles.

Lightweight and compact:
No heavy lifting equipment needed for installation.

Environmentally friendly:
Rhino Septic Tanks prevent untreated waste from entering the environment.



Front View

GREASE TRAPS



PRODUCT BENEFITS:

Leak proof, seamless constructed tank, manufactured from prime-grade polyethylene that provides exceptional strength and durability with impact-resistant properties.

Lightweight, easy to handle and install yet durable and sturdy to withstand the most rigorous applications of the plumbing industry. Includes a fully integrated surface guaranteed not to corrode, chip or peel, unlike some metal, fiberglass or other specially treated material. Trap is furnished with NPT connections and flow diffusing baffles.

DIMENSIONS

CAPACITY	LENGTH	WIDTH	HEIGHT	WEIGHT
30 US Gallons (114 litres)	32½ in 83 cm	22 in 56 cm	18 in 46 cm	32 lbs 14.5 kgs
225 US Gallons (851 litres)	49 in 125 cm	38.5 in 97 cm	39½ in 101 cm	106 lbs 48 kgs


WHAT IS A GREASE TRAP?

A grease trap is designed to capture fat oil, greases as well as food solids coming from a restaurant, or food production facility.

HOW DOES IT WORK?

A grease trap works by slowing down the flow of hot greasy water, allowing it to cool with the fats and oils separating, solidifying and rising to the top of the tank by use of baffles inside the tank. The hardened grease is then prevented from passing through the drain lines. Food solids settle to the bottom of the trap.

Pentax®
WATER PUMPS




WHERE THERE'S
WATER THERE'S
PENTAX

PROUD EXCLUSIVE DISTRIBUTOR FOR PENTAX IN THE CARIBBEAN REGION.

WARRANTY DETAILS

Rotoplastics Barbados Limited extends the following Limited Warranty to the ORIGINAL OWNER of PENTAX water pumps for a period of two (2) years, excluding the Pentax PM 45 pump, automatic pump control (smarthead) and pressure tank, which will be warranted for a period of one (1) year, free of defects from workmanship and materials, commencing on the date of original purchase of the product. All Pentax pumps should be installed with a surge protector to safeguard against voltage fluctuations. This warranty is in lieu of implied warranties of merchantability of fitness. These items will be warranted for the unexpired potion of the original warranty.

The warranty is nontransferable and is valid only if fitted to the manufacturer's recommended application and properly installed. ALL necessary paperwork must be properly completed, retained by the customer and presented for processing warranty claims.





Single storey home
with (2) two baths.
½ hp or ¾ hp centrifugal pump


Two storey home
with (3) three baths.
¾ hp or 1 hp centrifugal pump

Pentax is present in over
100 COUNTRIES WORLDWIDE

SELF-PRIMING (Centrifugal) PUMP

Self-priming centrifugal pump for supplying water in small household systems, transferring liquids, emptying tanks and gardening. This pump can be connected to a pressure tank or smarthead.


Pump body			Impeller			
Cast Iron			Noryl ®			
MODEL	MAX GPM	MAX OP PRESSURE	VOLT	VOLT	HP	FREQ Hz
CAM 100	18	72 psi	110 v	220 v	1.0	50
CAM 75	16	67 psi	110 v	220 v	0.8	50
CAM 50	16	58 ps1	110 v	220 v	0.6	50



SELF-PRIMING (Centrifugal) PUMP

Self-priming centrifugal pump for supplying water in medium households and light commercial systems; the use of a pressure switch and pressure tank are strongly recommended for automatic operation.


Pump body			Impeller		
Cast Iron			Noryl ®		
MODEL	MAX GPM	MAX OP PRESSURE	VOLT	HP	FREQ Hz
CAB 200	29	88 psi	220 v	2.0	50
CAB 150	24	86 psi	220 v	1.5	50



PERIPHERAL PUMP/ TRANSFER PUMP

Two impeller centrifugal pumps for constructing pressurisation systems for civil and industrial plant; the two counter-posed impellers guarantee high head and flow rate.

Pump body			Impeller		
Cast Iron			Noryl ®		
MODEL	MAX GPM	MAX OP PRESSURE	VOLT	HP	FREQ Hz
CBT 600	59	160 psi	220 v	5.5	50
CBT 751	66	160 psi	220/380 v	7.5	50



SUBMERSIBLE DRAINAGE PUMP (with float switch)

Drainage pump for emptying pits and cisterns, for gardening; completely constructed in anti-corrosive material; brass insert on the delivery opening.

Pump body			Impeller		
Polypropylene			Technopolymer		
MODEL	MAX GPM	IMMERSION DEPTH	VOLT	HP	FREQ Hz
DP	16	5 Meters	110 v	0.3	50





BRASS CONNECTORS

A fitting mounted to the discharge of the pump which allows installations of pump accessories such as a pressure switch, pressure gauge & pressure tank. Available in 3 & 5 way.



PRESSURE SWITCH

These open or close electrical contacts in response to changes in pressure. Starts and stops the pump. For residential, commercial and agricultural applications. Max psi 0 - 220 psi.
Available in male or female connection.



FLOAT SWITCH (TUFF)

A device used to detect the level of liquid within a tank. It protects your pump from running without water. Cord length 5m & 10m. Voltage 110 - 220, 15 A.



PRESSURE GAUGE

A device that indicates the amount of pressure that your pump is producing, usually expressed as pounds per square inch (psi). Available in 6 & 12 bar. Glycerine filled or unfilled; radialor axial stem Pressure gauge bore ¼ inch.

PRESSURE TANKS

ZILMET

A pressure tank in a water system is designed to have extra gallons of water on reserve (under pressure) so small demands don't require the pump to switch on and off. An example is turning on a faucet for a few seconds to get a glass of water. Pressure tanks are available in fixed and replaceable bladder designs. Fixed bladder type cannot be repaired if you have a defective bladder. Please note: if using a pressure tank with your pump, a float switch is required to protect the pump from running dry and burning the motor.

SPECIFICATIONS		
CAPACITY		ORIENTATION
8 L	2.0 Gal	VERTICAL
18 L	5.0 Gal	VERTICAL
50 L	13.25 Gal	VERTICAL
100 L	26.5 Gal	VERTICAL
300 L	80.0 Gal	VERTICAL
50 L	13.25 Gal	HORIZONTAL
100 L	26.50 Gal	HORIZONTAL

All sizes listed come with a 10 BAR/ 145 PSI max operating pressure rating. The 300 LIT Pressure Tanks are also available in 16 BAR/ 235 PSI for high pressure applications.









WATER PUMP ACCESSORIES

Pentax PUMP HOUSE

Specifically designed for Pentax water pumps with smarthead fittings. It protects the pump against harsh weather conditions. Assembly components included (nuts & bolts, screws & allen key).



REPLACEMENT ACCESSORIES



PENTAX REPAIR KIT

The repair kit consists of a mechanical and ceramic seal & two bearings.



COELBO DIAPHRAGM

The diaphragm acts as a barrier between the water and the air when pressurization takes place in your pump.



PENTAX CAPACITOR

A device in the pump which stores an electric charge, consisting of one or more pairs of conductors separated by an insulator. Available in different values based on pump size.



ZILMET BLADDER

Replaceable Bladder Membrane for use with pressure tanks.



PENTAX IMPELLER

A rotating component of a pump. The size of the impeller varies with the pump size. Made from Noryl® compound that prevents wear. Only suitable with clear water use to prevent clogging

Compact, non-adjustable electronic device that automatically controls the operation of the pump. It replaces a pressure tank, pressure switch and float switch.Immediate automatic shut-off in the absence of water, requires little to no maintenance and includes a tactile push button for manual start.





COMPACT 2

Electronic pump controller through internal flow and pressure sensors with an small internal accumulation membrane. Automatic reset. Inlet and outlet at 180 degrees. Optionally adjustable starting pressure.

FEATURES

Reset button
Replaceable circuit board
Fault Light
Small reserve against leaks
Automatic Reset Test
(ART function)

CONTROL PUMP

Electronic pump controller through internal flow and pressure sensors with internal accumulation membrane. Inlet and outlet at 90 degrees.

FEATURES

Reset button
Replaceable circuit board
Manual Reset



STIEBEL ELTRON

TANKLESS WATER HEATERS



STIEBEL ELTRON

TANKLESS WATER HEATERS

Superior water heating

All Steibel Eltron water heaters are manufactured in Germany. Each unit is individually tested for performance before it leaves our factory. Stiebel Eltron heaters the most advanced electric tankless technology, impressive energy saving performance, and incredible reliability.

Savings up to 20%
Compared to storage tanks, Stiebel Eltron tankless heaters save up to 20% on electricity.

No ventilation required
Unlike gas units, DCE requires no ventilation, so it can be installed anywhere.

Saves space
Its compact size allows residents to regain several cubic meters in space that a tank heater requires.

Saves water
Due to its size and elegant design, these heaters can be installed near the point. of use, greatly reducing water waste.

Advanced heating system
The advanced technical system, supplies hot water naturally with a rapid heating response time.

Unlimited hot water
DCE and Tempra heaters heat the water instantly, providing constant hot water without any interruption.

Easy installation
The compact design and flat back panel allows for an easy and attractive installation.

Earthquake proof
Not subject to building regulations for seismic activity, as is the case with tank heaters.



No Combustion or flame
The DCE uses electricity, a safe energy source. There is no gas, no flame, no need for ventilation.

Safety systems
Anti-scalding system and high temperature limit protection. With the addition of UL / ETL certification.

3 YEAR WARRANTY

MADE IN GERMANY
PRODUKT AUS DEUTSCHLAND

DCE TREND

Features

Electronic temperature control
Triple AE3 security system
Low pressure function
Works as a reinforcement for other systems

Model		DCE 10 TREND		DCE 15 TREND		
Phase 60/50 Hz						
Voltage		208 V	220 V	208V	220V	240V
Stage 1	Wattage	5.4 kW	6.0 kW	9.0 kW	10.0 kW	12.0 kW
	Amperage	25.8 A	27.3 A	43.3 A	45.5 A	50.0A
Stage 2	Wattage	7.2 kW	8.0 kW	10.7 kW	12.0 kW	14.4 kW
	Amperage	34.4 A	36.4 A	51.6 A	54.5 A	60.0A
Required circuit breaker[1]		40 A		60 A		
Wire size,[2] AWG Copper		8		6		
Minimum water flow to activate unit		1.0 l/min(0.264 gpm)				
Weight		2.5kg (5.5lbs)				
Nominal water volume		0.277 l (0.07gal)				
Max. inlet water temp.		55°C(131 °F)				
Dimensions		W 217 mm (8 9/16 in.) x H 372 mm (14 5/8 in.) x D 109 mm (4 5/16 in.)				
Max. working pressure		1MPa (145psi)				
Water connections		½ in. NPT				



Intelligent Control — 2i 2 SENSORS ELECTRONIC REGULATION OF TEMPERATURE

Efficiency/Comfort ●○○ /●○○

Temperature Adjustment 50 °C Fixed

DCE PREMIUM

Features

Electronic temperature control
Triple AE3 security system
Low pressure function
Works as a reinforcement for other systems
Temperature selection knob
Multi functional LCD display
Advanced Flow Control™
2 Temperature memory buttons
Energy savings calculator

Model		DCE 10 PREMIUM			DCE 15 PREMIUM		
Phase 60/50 Hz		1					
Voltage		208 V	220 V	240 V	208V	220V	240V
Stage 1	Wattage	5.4 kW	6.0 kW	7.2 kW	9.0 kW	10.0 kW	12.0 kW
	Amperage	25.8 A	27.3 A	30.0 A	43.3 A	45.5A	50.0A
Stage 2	Wattage	7.2 kW	8.0kW	9.6 kW	10.7 kW	12.0 kW	14.4 kW
	Amperage	34.4 A	36.4 A	40.0A	51.6 A	54.5A	60.0A
Required circuit breaker[1]		40 A			60 A		
Wire size,[2] AWG Copper		8			6		
Minimum water flow to activate unit		1.0 l/min(0.264 gpm)					
Weight		2.5kg (5.5lbs)					
Nominal water volume		0.277 l (0.07gal)					
Max. inlet water temp.		55°C(131 °F)					
Dimensions		W 217 mm (8 9/16 in.) x H 372 mm (14 5/8 in.) x D 109 mm (4 5/16 in.)					
Max. working pressure		1MPa (145psi)					
Water connections		½ in. NPT					



Intelligent Control — 4i 4 SENSORS ELECTRONIC REGULATION OF TEMPERATURE

Efficiency/Comfort ●●● /●●●

Temperature Adjustment 20-60 °C
Via LCD Display

Tempra • Whole House Electric Tankless Water Heaters

100 Years of German Technology

Technical Data

Tempra Model Item Number	12 Trend 239213 12 Plus 239219	20 Trend 239215 20 Plus 239221	24 Trend 239216 24 Plus 239222	36 Trend 239218 36 Plus 239225
Phase	single 50/60Hz	single[4] 50/60Hz	single[4] 50/60Hz	single[4] 50/60Hz
Voltage	240V or 208V	240V or 208V	240V or 208V	240V or 208V[33]
Wattage	12kW 9kW	19.2kW 14.4kW	24kW 18kW	36kW 27kW
Amperage draw[1]	50A 44A	2 x 40A 2 x 35A	2 x 50A 2 x 44A	3 x 50A 3 x 44A
Number & min. recommended size of circuit breakers[2] (DP)	1 x 50A	2 x 40A 2 x 35A	2 x 50A	3 x 50A
Number of runs & min. recommended wire size[2] (copper)	1 x 8/2 AWG	2 x 8/2 AWG	2 x 8/2 AWG	3 x 8/2 AWG
Maximum temperature increase above ambient water temp @ 1.50 GPM	54°F 41°F	88°F 66°F	92°F 82°F	92°F 92°F
@ 2.25 GPM	36°F 27°F	58°F 44°F	73°F 54°F	92°F 82°F
@ 3.00 GPM	27°F 20°F	44°F 33°F	54°F 41°F	82°F 61°F
@ 4.50 GPM	- -	29°F 22°F	37°F 27°F	55°F 41°F
Min. water flow to activate unit	0.37 gpm (1.4 l/min)	0.50 gpm (1.9 l/min)	0.50 gpm (1.9 l/min)	0.77 gpm (2.9 l/min)
Weight	13.5 lb (6.1 kg)	16.1 lb (7.3 kg)	16.1 lb (7.3 kg)	19.0 lb (8.6 kg)
Nominal water volume	0.13 gal (0.5 l)	0.26 gal (1.0 l)	0.26 gal (1.0 l)	0.39 gal (1.5 l)
Max. inlet water temperature	131 °F (55 °C)			
Dimensions	Width 16⅝″ (42.0 cm) x Height 14½″ (36.9 cm) x Depth 4⅝″ (11.7 cm)			
Minimum pressure	30 psi (2 bar)			
Working pressure	150 psi (10 bar)			
Tested to pressure	300 psi (20 bar)			
Water connections	¾″ NPT			




TEMPRA TREND

Provides continuous hot water on demand	✓
Saves energy with auto-modulation	✓
Digital display for accurate temperature setting	✓
Solid copper heating chambers	✓
Smart microprocessor technology for steady temperature with variable flow	✓
Made in Germany	✓

Advanced Flow Control™

Advanced Flow Control™ in DCE Premium models automatically reduces the flow of water slightly if hot water demand is too great.

DCE Premium never delivers colder water than the set point, but always delivers water at the correct temperature.



Stiebel Eltron has been the world leader in the development of advanced water heating and energy-saving technology since 1924. Our pursuit of engineering excellence and high-quality manufacturing results in products fulfilling the highest expectations of performance and reliability.

STIEBEL ELTRON

TANKLESS WATER HEATERS

Scale TAC-ler

TEMPLATE ASSISTED CRYSTALLIZATION WATER CONDITIONER



Scale TAC-ler Water Conditioner Technical Data

Model	Scale TAC-ler
Item number	692442
Filter type	Template Assisted Crystallization (TAC)
Max. treatment service flow rate	6.0GPM/ 22.7L/min
Max. flow rate through device	10.0GPM/ 37.85L/min
Max. water pressure	90 psi / 6.2 bar
Min. water pressure	30 psi / 2 bar
Temperature range	40-100°F / 4-38°C
Dimensions	13" x 24" / 33 x 61 cm
Connection type	" NPT
Valve type	Ball
Material	Plastic
Approx. cartridge life	2 years
Replacement filter cartridge	Item Number 692443
pH range	6.5-8.5
Optimal hardness level for treatment	7-30 mg/l / 0.4-1.8 gpg
Max. treatable hardness level	1,283 mg/l (ppm) / 75 gpg
Max. acceptable levels of contaminates in incoming water	Chlorine: < 3 mg/l (ppm) Hydrogen Peroxide: < 0.5 mg/l (ppm) Iron: < 0.3 mg/l (ppm) Manganese: < 0.05 mg/l (ppm) Copper: < 1.3 mg/l (ppm) Hydrogen Sulfide (H_2S): must be removed Polyphosphates and Oils: must be removed
Water treatment certification	NSF/ANSI 61

- Salt-free water conditioner compatible with all tankless and conventional tank-style water heaters
- Most effective of all non-salt water conditioners at preventing mineral scale
- Nothing reduces water heater efficiency more than mineral scale

How It Works

Scale TAC-ler salt-free water conditioners use a specialized polymeric bead medium that serves as a catalyst for the formation of calcium and magnesium carbonate nano-crystals. Instead of forming hard mineral scale on surfaces, these microscopic crystals of calcium and magnesium carbonate remain suspended in solution and pass through to the drain. This process is called Template Assisted Crystallization, or “TAC.” A university study determined that TAC technology was the most effective of all non-salt water conditioners at preventing mineral scale, with reduction levels consistently in excess of 90%. TAC technology passes the German DVGW W512 standard for water treatment.

Benefits

- Protects from harmful hard water scale
- Protects manufacturer's warranty coverage
- Protects equipment investment
- Ensures optimalperformance and efficiency
- Maintains water pressure and flow rate
- Does not add chemicals to the water
- Does not change the taste, smell, or feel of the water
- Environmentally friendly
- Simple installation
- No daily maintenance
- No salt, backwashing, chemical regeneration, or brine discharge
- Does not remove beneficial materials
- Ideal for all tankless or tank-type water heaters
- Built-in sediment pre-filter

ROTO COOL



Designed to keep things

COLDER LONGER

Rotocool coolers feature impact resistant construction and are industrial grade. They are rotationally molded from tough polyethylene to withstand rigorous environments and is ideal for the storage of cold and warm products, events and much more. The double-walled foam filled insulation maintains a consistent internal temperature for prolonged periods. Rotocool coolers are manufactured with Food and Drug Administration (FDA) compliant material for the storage of food and beverages.


FEATURES:

- **Rotationally Molded**
- **Durable Rubber Latches**
- **UV Resistant**
- **Leak-proof**
- **6 DAY Ice Retention**

5 YEAR GUARANTEE

Manufactured with Food and Drug Administration compliant materials.

BEVERAGE MERCHANDISER



EXTERNAL DIMENSIONS		
L	**W**	**H**
22.75 in	26 in	37.25 in
57.78 cm	66 cm	94.61 cm

INTERNAL DIMENSIONS		
L	**W**	**H**
15.50 in	15.75 in	21.00 in
39.37 cm	40.00 cm	53.34 cm

WEIGHT		CAPACITY	
BOX	**COVER**	**ICE**	**WATER**
28 lbs	8 lbs	117 lbs	20 Gal
12.7 kg	3.6 kg	53.0 kg	76 L





**Additional Colours available upon request*




6 storage Hooks



Rugged 8” wheels




Drain plug



Grip for Lifting




Rubber Bumper



Single or Double handle

THE PUB R250





EXTERNAL DIMENSIONS		
L	**W**	**H**
41.63 in	26.38 in	29.38 in
105.74 cm	67 cm	74.62 cm

INTERNAL DIMENSIONS		
L	**W**	**H**
30.13 in	22.63 in	24.75 in
76.53 cm	57.48 cm	62.86 cm

WEIGHT		CAPACITY	
BOX	**COVER**	**ICE**	**WATER**
54 lbs	14 lbs	247.5 lbs	66 Gal
24.5 kg	6.4 kg	112.3 kg	249.83 L

**Additional Colours available upon request*



Rotomolded Handles



Optional Hinged cover



Drain plug



Rubber Latches




Up to 2” inch thick insulation



Optional Forklift/ Wheeled Based

THE LONG BOX R375





EXTERNAL DIMENSIONS		
L	**W**	**H**
59.75 in	26.75 in	33.13 in
151.76 cm	67.94 cm	84.15 cm

INTERNAL DIMENSIONS		
L	**W**	**H**
48.38 in	22.88 in	22.50 in
122.88 cm	58.11 cm	57.15 cm

WEIGHT		CAPACITY	
BOX	**COVER**	**ICE**	**WATER**
100 lbs	27 lbs	412.5 lbs	99 Gal
45.4 kg	12.2 kg	187.1 kg	374.75 L

**Additional Colours available upon request*



Rotomolded Handles



Drain plug



Rubber Latches



Up to 4” inch thick insulation



Fork Lift Entry

ROTO COOL

NEW

XTREME®

R700





5 YEAR GUARANTEE

introducing the XTREME 2.0


THE FUTURE OF COOLING

- Commercial fishing and seafood operations
- Ice storage for events, resorts, and distribution
- Outdoor entertainment, parties, and festivals
- Secure transport of perishable items









KEY FEATURES


- Rotomoulded Construction
- Easy to clean, flat surfaces
- Heavy-Duty Rubber Latches
- Drain Plug & holder
- Efficient Drainage
- UV & Weather Resistant
- Stackable

AVAILABLE COLOURS:

Light Grey | Dark Grey | Blue

CAPACITY	700 Litres	185 Gal
WEIGHT (BODY)	58.5 kg	129 lbs
WEIGHT (COVER)	14 kg	31 lbs
LENGTH	47" L	119.4 cm
WIDTH	45.5" W	115.6 cm
HEIGHT	35" H	88.6 cm

KING KONG 1100



EXTERNAL DIMENSIONS		
L	W	H
47.50 in	42.50 in	48.25 in
120.65 cm	107.95 cm	122.55 cm

INTERNAL DIMENSIONS		
L	W	H
43.25 in	38.50 in	39.75 in
109.85 cm	97.79 cm	100.96 cm

WEIGHT		CAPACITY	
BOX	COVER	ICE	WATER
180 lbs	36 lbs	1155 lbs	289 Gal
81.6 kg	16.3 kg	532.9 kg	1094 L





**Additional Colours available upon request*



Drain plug



Rubber Latches



Up to 3” inch thick insulation



Fork Lift Entry

STACKING TRAYS

Get organized with our Heavy Duty Stacking Trays which are ideal for transport and storage applications.

Can be used in freezers or pantires to classify various refrigerated items and raw food materials such as meat, seafood, potatoes, onions and more.



FEATURES

Environmentally friendly and made from a durable plastic material

Made of FDA compliant material 100% virgin polyethylene, making it safe for food storage for home, commercial and industrial use

Easy lift off lid for ease of access

Ergonomic rim provides for a sturdy grip making it convenient for you to lift from any position

Smooth surfaces that are easy to clean

UV resistant to most chemicals and solvents

It can be stacked to save space when not in use



DIMENSIONS

SIZE	WIDTH	HEIGHT	LENGTH	L / Gals
Small	15”	6½“	24½”	34/9.5
Medium	15½”	11”	27½”	68/17
Large	18”	13”	35”	132/35

STURDY

GARBAGE BAGS



GUARANTEED STRONG

STURDY GARBAGE BAGS

GUARANTEED STRONG

SMALL



UNIT SIZE	20 X 22 in | 51 X 56 cm
THICKNESS	0.5 mil | 12.7 micron
CASE PACKAGE	24 rolls / 30 bags
CAPACITY	30 L | 8 Gal
MATERIAL	HDPE

MEDIUM



UNIT SIZE	24 X 36 in | 61 X 92 cm
THICKNESS	0.6 mil | 15.24 micron
CASE PACKAGE	24 rolls / 20 bags
CAPACITY	57 L | 15 Gal
MATERIAL	HDPE

LARGE



UNIT SIZE	30 X 36 in | 76 X 92 cm
THICKNESS	0.6 mil | 15.24 micron
CASE PACKAGE	24 rolls / 20 bags
CAPACITY	100 L | 26 Gal
MATERIAL	HDPE

JUMBO



UNIT SIZE	38 X 50 in | 97 X 127 cm
THICKNESS	1.0 mil | 25.4 micron
CASE PACKAGE	24 rolls / 10 bags
CAPACITY	175 L | 46 Gal
MATERIAL	HDPE

COLOUR: BLACK

STURDY
GARBAGE BAGS

GUARANTEED STRONG

SMALL



UNIT SIZE	20 X 22 in | 51 X 56 cm
THICKNESS	0.5 mil | 12.7 micron
CASE PACKAGE	24 rolls / 30 bags
CAPACITY	30 L | 8 Gal
MATERIAL	HDPE

MEDIUM



UNIT SIZE	24 X 36 in | 61 X 92 cm
THICKNESS	0.6 mil | 15.24 micron
CASE PACKAGE	24 rolls / 20 bags
CAPACITY	57 L | 15 Gal
MATERIAL	HDPE

LARGE



UNIT SIZE	30 X 36 in | 76 X 92 cm
THICKNESS	0.6 mil | 15.24 micron
CASE PACKAGE	24 rolls / 20 bags
CAPACITY	100 L | 26 Gal
MATERIAL	HDPE

JUMBO



UNIT SIZE	38 X 50 in | 97 X 127 cm
THICKNESS	1.0 mil | 25.4 micron
CASE PACKAGE	24 rolls / 10 bags
CAPACITY	175 L | 46 Gal
MATERIAL	HDPE

COLOUR: BLUE

STURDY GARBAGE BAGS

GUARANTEED STRONG

SMALL



UNIT SIZE	20 X 22 in | 51 X 56 cm
THICKNESS	0.5 mil | 12.7 micron
CASE PACKAGE	24 rolls / 30 bags
CAPACITY	30 L | 8 Gal
MATERIAL	HDPE

MEDIUM



UNIT SIZE	24 X 36 in | 61 X 92 cm
THICKNESS	0.6 mil | 15.24 micron
CASE PACKAGE	24 rolls / 20 bags
CAPACITY	57 L | 15 Gal
MATERIAL	HDPE

LARGE



UNIT SIZE	30 X 36 in | 76 X 92 cm
THICKNESS	0.6 mil | 15.24 micron
CASE PACKAGE	24 rolls / 20 bags
CAPACITY	100 L | 26 Gal
MATERIAL	HDPE

JUMBO



UNIT SIZE	38 X 50 in | 97 X 127 cm
THICKNESS	1.0 mil | 25.4 micron
CASE PACKAGE	24 rolls / 10 bags
CAPACITY	175 L | 46 Gal
MATERIAL	HDPE

COLOUR: FROSTED

STURDY GARBAGE BAGS

FLAPTIE
4 FLAPS FOR EASY TYING

SMALL



UNIT SIZE	20 X 22 in | 51 X 56 cm
THICKNESS	0.5 mil | 12.7 micron
CASE PACKAGE	12 rolls / 30 bags
CAPACITY	30 L | 8 Gal
MATERIAL	HDPE

MEDIUM



UNIT SIZE	24 X 36 in | 61 X 92 cm
THICKNESS	0.6 mil | 15.24 micron
CASE PACKAGE	12 rolls / 20 bags
CAPACITY	57 L | 15 Gal
MATERIAL	HDPE

LARGE



UNIT SIZE	30 X 36 in | 76 X 92 cm
THICKNESS	0.6 mil | 15.24 micron
CASE PACKAGE	12 rolls / 20 bags
CAPACITY	100 L | 26 Gal
MATERIAL	HDPE

RHINO GARBAGE BINS

Rhino Garbage Bins are rotationally moulded to ensure uniform wall thickness and high stability. They are made of specially formulated UV resistant Linear Low Density Polyethylene (LDPE) for toughness, corrosion resistance and weather protection, making them perfect for indoor/outdoor use. This process produces a 100% recyclable product, doubling the environmental benefits. They are backed by a 5 year guarantee but have earned a reputation of lasting decades!



100% Recyclable	UV Resistant	Rotationally Molded	Linear Low-Density Polyethylene	Indoor & Outdoor Use
			4 LLDPE	

5 YEAR GUARANTEE

STRENGTH YOU CAN DEPEND ON!

WHEELIE
GARBAGE BIN

FEATURES

65 Gal (246 liters)



Rhino Rim
For superior structural integrity and added strength.



Easy-Tilt Foot Bar
For convenient movement of the unit to its waste disposal point.



Easy-Grip Ergonomic Rear Handle
For effortless maneuverability.



Hinged Lid Positioning
For unhindered access to your trash and easier waste disposal.



Robust 10" Wheels
For added steadiness, easy tilting and rolling.



Steel Stop Bar
For waste collection by semi-automated lifters.



Heavy Duty Wear Pad
For added durability and to withstand dragging.



Stackable & Nestable
For space-saving storage and efficient transportation.



Indoor Covers
For indoor waste coverage.



Outdoor Cover
For outdoor waste coverage.



OPTIONAL FEATURES AND BENEFITS

- Keyed lock for tamper-resistance.
- Security clamp (to be used with chains and pad lock) for protection against theft, misuse, vandalism or harsh winds.
- Recycling symbol molded into bin.
- Custom, mold-in graphics for your specific organizational waste management programme (done by special order through your organization's Sales Representative).
- Area for gasket underneath the cover to prevent any spills or leaks if the bin falls over.

AVAILABLE COLOURS



Granite Grey
Granite Green
Granite Blue
Granite Red

WHEELIE
GARBAGE BIN

FEATURES

96 Gal (363 liters)



Rhino Rim
For superior structural integrity and added strength.



Easy-Tilt Foot Bar
For convenient movement of the unit to its waste disposal point.



Easy-Grip Ergonomic Rear Handle
For effortless maneuverability.



Hinged Lid Positioning
For unhindered access to your trash and easier waste disposal.



Robust 10" Wheels
For added steadiness, easy tilting and rolling.



Steel Stop Bar
For waste collection by semi-automated lifters.



Heavy Duty Wear Pad
For added durability and to withstand dragging.



Stackable & Nestable
For space-saving storage and efficient transportation.



OPTIONAL FEATURES AND BENEFITS

- Keyed lock for tamper-resistance.
- Security clamp (to be used with chains and pad lock) for protection against theft, misuse, vandalism or harsh winds.
- Recycling symbol molded into bin.
- Custom, mold-in graphics for your specific organizational waste management programme (done by special order through your organization's Sales Representative).
- Area for gasket underneath the cover to prevent any spills or leaks if the bin falls over.

AVAILABLE COLOURS



Granite Grey
Granite Green
Granite Blue
Granite Red


RHINO GARBAGE BINS

GUPPY GARBAGE BIN



Inner Liner
Diameter 21”
Height 36”

45 Gal
Diameter: 35"
Height: 52"



LONG LIFESPAN
Commercial-grade construction plus UV protection

DURABLE
Can withstand adverse weather conditions and are corrosion, rust and chip resistant

HEAVY-DUTY LINER
Easily removable, smooth inner liner makes cleaning easier and quicker

DOME LID
Enables surface runoff and deters users from leaving waste on top of the bin

IDEAL GARBAGE BAG SIZE
38” x 50”

3-WAY TOP
Making it easier to dispose of your trash


AVAILABLE IN
45 Gal (170 Liters)

MIGHTY GARBAGE BIN



Inner Liner
Diameter 22”
Height 32”

45 Gal
Length: 20"
Width: 26"
Height: 48"



LONG LIFESPAN
Commercial-grade construction plus UV protection

DURABLE
Can withstand adverse weather conditions and are corrosion, rust and chip resistant

HEAVY-DUTY LINER
Easily removable, smooth inner liner makes cleaning easier and quicker

SLOPED CONVEX TOP
Enables surface runoff and deters users from leaving waste on top of the bin

IDEAL GARBAGE BAG SIZE
38” x 50”


CUSTOMIZABLE (3 STEPS)
Custom Graphics-All 4 sides
1. Choose your bin color
2. Submit your artwork using the provided template/dimensions
3. Choose labels: Paper, Plastic or Trash

RECYCLE GARBAGE BIN



30 Gal
Length: 18"
Width: 23"
Height: 43"

45 Gal
Length: 20"
Width: 26"
Height: 48"



LONG LIFESPAN
Commercial-grade construction plus UV protection

DURABLE
Can withstand adverse weather conditions and are corrosion, rust and chip resistant

COMMERCIAL OR RESIDENTIAL USE
Suitable for both indoor and outdoor

ROUND WASTE ENTRY
The cover offers a stationary 6” entry

STACKABLE DESIGN
To maximize space when shipping

LOCKING HANDLES
Heavy-duty handles locks the lid firmly into position

OPTIONAL SECURE BASE
Can be bolted to the ground (Bolts not included) minimizing theft, vandalism and movement during heavy winds

CUSTOM GRAPHICS
By special order via your sales rep

IDEAL GARBAGE BAG SIZE
30 Gal - 33” x 37” | 45 Gal - 38” x 46”

GRANITE BLUE GRANITE GREEN GRANITE GREY GRANITE RED


RHINO GARBAGE BINS

SWINGER GARBAGE BIN



30 Gal
Length: 18"
Width: 23"
Height: 43"

45 Gal
Length: 20"
Width: 26"
Height: 48"



LONG LIFESPAN
Commercial-grade construction plus UV protection

DURABLE
Can withstand adverse weather conditions and are corrosion, rust and chip resistant

COMMERCIAL OR RESIDENTIAL USE
Its sleek design is ideal for both indoor and outdoor

PUSH FLAP LID
Swings easily, smoothly and firmly, ensuring bin contents are properly concealed

STACKABLE DESIGN
To maximize space when shipping

LOCKING HANDLES
Heavy-duty handles for easy mobility also locks the lid firmly into position

OPTIONAL SECURE BASE
Can be bolted to the ground (Bolts not included) minimizing theft, vandalism and movement during heavy winds


IDEAL GARBAGE BAG SIZE
30 Gal - 33" x 37" | 45 Gal - 38" x 46"

WHEELIE GARBAGE BIN



30 Gal
Length: 22"
Width: 20"
Height: 38"

65 Gal
Length: 32.75"
Width: 24.75"
Height:43"



LONG LIFESPAN
Commercial-grade construction plus UV protection

DURABLE
Can withstand adverse weather conditions and are corrosion, rust and chip resistant

DURABLE WHEELS
Solid Wheels with high performance treads are optimized for use indoors and outdoors

HINGED LID
Opens fully and stays in place allowing easy accessibility to remove your trash

STACKABLE DESIGN
To maximize space when shipping

ERGONOMIC REAR HANDLE
Designed for comfortable push or pull operations when empty or full

RHINO RIM
Creates a strong and sturdier rim, enhances the finish and appearance of the product


IDEAL GARBAGE BAG SIZE
30 Gal - 33" x 37" | 45 Gal - 38" x 46"

AVAILABLE IN
30 Gal (114 L) | 60 Gal (227 L) | 90 Gal (341 L)

WHEELIE GARBAGE BIN



96 Gal
Length:37.5.
Width: 29.31 "
Height:44 "



LONG LIFESPAN
Commercial-grade construction plus UV protection

DURABLE
Can withstand adverse weather conditions and are corrosion, rust and chip resistant

DURABLE WHEELS
Solid Wheels with high performance treads are optimized for use indoors and outdoors

HINGED LID
Opens fully and stays in place allowing easy accessibility to remove your trash

STACKABLE DESIGN
To maximize space when shipping

ERGONOMIC REAR HANDLE
Designed for comfortable push or pull operations when empty or full

RHINO RIM
Creates a strong and sturdier rim, enhances the finish and appearance of the product

IDEAL GARBAGE BAG SIZE
30 Gal - 33" x 37" | 45 Gal - 38" x 46"

AVAILABLE IN
30 Gal (114 L) | 60 Gal (227 L) | 90 Gal (341 L)

GRANITE BLUE GRANITE GREEN GRANITE GREY GRANITE RED

RHINO
MATERIAL HANDLING

Rhino Material Handling are rotationally moulded to ensure uniform wall thickness and high stability. They are made of specially formulated UV resistant Linear Low Density Polyethylene (LDPE) for toughness, corrosion resistance and weather protection, making them perfect for indoor/outdoor use. This process produces a 100% recyclable product, doubling the environmental benefits. They are backed by a 5 year guarantee but have earned a reputation of lasting decades!



100% Recyclable	UV Resistant	Rotationally Molded	Linear Low-Density Polyethylene	Indoor & Outdoor Use
			4 LLDPE	

5 YEAR GUARANTEE


STRENGTH
YOU CAN DEPEND ON!

RHINO TILT & TOTE TRUCK



100 Gallon

Total height
(To top of handle) 43"




Body
Length: 53"
Width: 30"
Height:31"

Cover
Unfolded length: 56"
Width: 30"
Height 6"



60 Gallon

Total height
(To top of handle) 41"



Body
Length: 37"
Width: 28"
Height: 30"

TOTE TRUCK

LONG LIFESPAN
Commercial-grade construction plus UV protection

DURABLE
Can withstand adverse weather conditions and are corrosion, rust and chip resistant

ROBUST WHEELS
4" castors (2 swivel and 2 non-swivel)

OPTIONAL HINGED LID
Hinged Lid allows easy access to contents without removal and conceals loads without decreasing capacity
Available only for 100 Gallon Tote Truck

FRAMES
Powder-coated to reduce corrosion, prevent flaking and ensure long service life

STEEL PUSH HANDLE
Designed for comfortable push or pull operations when empty or full

RHINO RIM
Creates a strong and sturdier rim, enhances the finish and appearance of the product

EASY TO CLEAN
Smooth surfaces and seamless construction makes cleaning easier and quicker

ROTO BLUE MOSS GREEN BLACK


The cover is only available in Black.



1.0 cu. yd.
Total height
(To top of lid) 49"

Body
Length to handle: 74"
Width: 32"
Height: 43"

Cover
Unfolded length: 75"
Width: 34"
Height: 9"



TILT TRUCK

LONG LIFESPAN
Commercial-grade construction plus UV protection

DURABLE
Can withstand adverse weather conditions and are corrosion, rust and chip resistant

ROBUST WHEELS
4" castors (2 swivel and 2 non-swivel)

OPTIONAL HINGED LID
Hinged Lid allows easy access to contents without removal and covers without decreasing capacity

FRAMES
Powder-coated to reduce corrosion, prevent flaking and ensure long service life

STEEL PUSH HANDLE
Designed for comfortable push or pull operations when empty or full

RHINO RIM
Creates a strong and sturdier rim, enhances the finish and appearance of the product

EASY TO CLEAN
Smooth surfaces and seamless construction makes cleaning easier and quicker

GRANITE BLUE GRANITE GREEN GRANITE GREY

The cover is only available in **Black**.



ISLAND
PLANTERS

ISLAND
PLANTERS

BEAUTIFY
YOUR INDOOR AND OUTDOOR SPACES!





Our planters are manufactured using specially formulated UV resistant polyethylene to guarantee high impact strength and durability.

Each pot is crafted using the rotational molding technique achieving an unbreakable high quality product. They are also backed by a 5 year guarantee against cracking and chipping.

Special product features

- Unbreakable
- UV Resistant
- Lightweight
- 5 Year Guarantee
- Indoor or Outdoor use

Ash	Earth	Cocoa	Aqua	Moss Green	Terra Cotta	DESIGNER COLOURS: Rose
Stone	Sand	Midnight	Apple Green	Lava Red	Pure White	Oxide
Granite	Copper	Carbon	Lime Green	Burnt Orange	Black	Silver, Olive

LEGEND Sold with saucer | Saucer available (sold separately) | NS No saucer | SW Self watering | DC Designer's Choice

DESIGNER COLLECTION



22" ARIA SERIES

MIDNIGHT
Medianoche








ARIA SERIES

NS [MATTE]



The Aria Series redefines elegance yet adds a bold touch to any indoor or outdoor space. Uniquely crafted to stand out, it offers a perfect balance of style and strength. The Aria Series is the ideal choice for those looking to elevate their greenery with a touch of sophistication.



Pot Dimensions						
	External Dimensions		Internal Dimensions			
	D x H (in)	D x H (cm)	D x H (in)	D x H (cm)	lbs	kg
16″ Aria Series	16.13 x 13.5	40.97 x 34.29	14.84 x 10.94	37.7 x 27.79	7.5	3.4
18″ Aria Series	18 x 15	45.72 x 38.1	16.5 x 12.5	41.91 x 31.75	9	4
22″ Aria Series	22 x 18.22	55.88 x 46.29	20.25 x 15.25	51.44 x 38.74	12	5.44

No Saucer Available




TUBI SERIES

NS [MATTE]



Sleek and stylish, the Tubi Series features a tall, slender, tubular design that brings a chic edge to any space. Its trendy silhouette makes it the perfect statement piece that effortlessly elevates your décor with vertical elegance.



Pot Dimensions						
	External Dimensions		Internal Dimensions			
	D x H (in)	D x H (cm)	D x H (in)	D x H (cm)	lbs	kg
16" Tubi-Short	16 x 16	40.65 x 40.65	15 x 13.25	38.1 x 33.65	8	3.6
16" Tubi-Tall	16 x 27.5	40.65 x 69.85	15 x 10.25	38.1 x 26.04	10	4.5

No Saucer Available




RIBBED SERIES

NS

[MATTE]



Make a bold statement with the Ribbed Series; a true showstopper for your home. Featuring textured ribbed detailing, this pot adds depth, flair, and a touch of drama to your interior design. More than just a planter, it's a piece of art that turns any plant into a focal point.



Pot Dimensions						
	External Dimensions		Internal Dimensions			
	D x H (in)	D x H (cm)	D x H (in)	D x H (cm)	lbs	kg
16" Ribbed-Short	15.81 x 16	40.16 x 40.65	14.5 x 12.38	36.83 x 31.43	8	3.6
16" Ribbed-Tall	16 x 19.69	40.65 x 50	14.63 x 14.5	37.16 x 36.83	10	4.5

No Saucer Available

MODERN COLLECTION


Cylindro


Quattro



Vivo


Rectangular


Bola


Tuff


Copa






Self Watering

External Dimensions			Internal Dimensions			
	D x H (in)	D x H (cm)	D x H (in)	D x H (cm)	lbs	kg
12″	11.75 x 09.37	29.80 x 23.80	8.19 x 6.00	20.90 x 15.20	3	1.3
18″	17.62 x 13.75	44.75 x 34.92	12.25 x 10.00	31.11 x 25.40	6	2.7
22″	21.50 x 17.12	54.61 x 43.48	14.50 x 12.75	36.83 x 32.38	10	4.5
24″	24.80 x 19.50	63.00 x 49.53	16.75 x 14.75	42.54 x 37.46	14	6.4
30″	29.50 x 23.50	74.90 x 59.7	19.62 x 17.75	45.09 x 45.10	22	10.0
36″	35.12 x 27.50	89.20 x 69.85	24.00 x 20.62	60.96 x 52.37	36	16.3

BOLA SERIES SW [MATTE]







Non Self Watering

External Dimensions			Internal Dimensions			
	D x H (in)	D x H (cm)	D x H (in)	D x H (cm)	lbs	kg
23″	23.00 x 17.75	58.42 x 45.09	15.50 x 17.75	39.37 x 45.09	10	4.6
29″	29.25 x 23.12	74.29 x 58.72	20.00 x 23.12	50.80 x 58.72	17	7.7
35″	35.25 x 28.00	89.53 x 71.12	24.00 x 28.00	60.96 x 71.12	28	12.7

BOLA SERIES [MATTE] NS






COPA SERIES NS [MATTE]



External Dimensions			Internal Dimensions			
	D x H (in)	D x H (cm)	D x H (in)	D x H (cm)	lbs	kg
24"	24.50 x 11.50	62.23 x 29.21	11.25 x 90.00	28.57 x 22.86	9	4.1
35"	35.00 x 16.50	88.90 x 41.91	10.00 x 14.50	25.4 x 36.83	17	7.3
47"	47.00 x 22.00	119.38 x 55.88	24.00 x 16.50	60.96 x 41.91	47.5	21.5

No saucer available





COPA TIP!


Use any size COPA to create a teriffic planter, water feature or your favourite succulent garden.




CYLINDRO SERIES [MATTE]

External Dimensions			Internal Dimensions			
	D x H (in)	D x H (cm)	D x H (in)	D x H (cm)	lbs	kg
10″	10.00 x 11.00	27.90 x 25.40	8.00 x 7.00	20.30 x 17.80	3	1.3
14″	13.65 x 15.25	34.67 x 38.73	10.50 x 10.50	26.67 x 26.67	5	2.3
16″	15.50 x 17.25	39.37 x 43.81	12.00 x 12.62	30.48 x 32.05	7	3.2
18″	17.50 x 19.25	44.45 x 48.89	13.25 x 15.12	33.65 x 38.40	9	4.1
23″	22.50 x 24.62	57.15 x 62.53	17.25 x 19.25	43.81 x 48.89	18	8.2
29″	29.12 x 31.87	73.96 x 80.94	22.00 x 23.75	55.89 x 60.32	35	16

10″ SW



Saucer sold separately



Saucer Dimensions/ Dimensiones del plato				
	D x H (in)	D x H (cm)	lbs	kg
10″ Cylindro Series	*No Saucer Available*			
14″ Cylindro Series	10.43 x 1.97	26.5 x 5	1.5	0.7
16″ Cylindro Series	12.2 x 2.36	31 x 6	2	0.9
18″ Cylindro Series	13.78 x 2.5	35 x 6.35	3	1.4
23″ Cylindro Series	17.32 x 2.95	44 x 7.5	4.5	2.1
29″ Cylindro Series	22.44 x 2.83	57 x 7.18	7	3.2






QUATTRO SERIES [MATTE]




External Dimensions			Internal Dimensions			
	L x W x H (in)	L x W x H (cm)	L x W x H (in)	L x W x H (cm)	lbs	kg
12″	12.37 x 12.37 x 12.62	31.41 x 31.41 x 32.05	7.75 x 7.75 x 11.00	19.68 x 19.68 x 27.94	5	2.3
19″	19.12 x 19.12 x 19.50	48.50 x 48.50 x 49.50	11.75 x 11.75 x 17.00	29.84 x 29.84 x 43.18	16.8	7.6
27″	27.00 x 27.00 x 26.87	68.50 x 68.50 x 68.24	19.75 x 19.75 x 23.50	48.90 x 48.90 x 59.69	45.5	20.6



Saucer sold separately






Saucer Dimensions/ Dimensiones del plato				
	L x W x H (in)	L x W x H (cm)	lbs	kg
12″ Quattro Series	11.4 x 11.4 x 1.8	29 x 29 x 4.57	1.5	0.6
19″ Quattro Series	18 x 18 x 3	45.72 x 45.72 x 7.62	6	2.7
27″ Quattro Series	25.7 x 25.7 x 4	65.27 x 65.27 x 10.16	12	5.4




RECTANGULAR SERIES [MATTE]

DC

Dimensions				
	L x W x H (in)	L x W x H (cm)	lb	kgs
24″	23.60 x 12.20 x 13.77	60 x 31 x 35	12	5.4
32″	31.49 x 12.20 x 13.77	80 x 31 x 35	14	6.3



Saucer sold separately



Saucer Dimensions/ Dimensiones del plato				
	L x W x H (in)	L x W x H (cm)	lbs	kgs
24″ Rectangular Series	26.7 x 17 x 4.25	67.81 x 43 x 10.7	8.5	3.8
32″ Rectangular Series	35 x 17 x 4.25	88.9 x 43 x 10.7	10.5	5




TUFF SERIES

[GLOSS] [MATTE]

[GLOSS]




Pot Dimensions						
	Sold w/saucer	Finish	D x H x E (in)	D x H x E (cm)	lbs	kg
12″	✓	Matte	12.12 x 11.12 x 8.62	30.78 x 28.24 x 21.89	1.5	0.6
14″	✓	Matte	13.87 x 15.50 x 8.00	35.22 x 39.37 x 20.32	2.5	1.0
16″	✓	Matte	16.25 x 14.50 x 11.37	41.27 x 36.83 x 28.87	3.5	1.6
18″	✓	Matte	18.12 x 16.25 x 12.25	46.02 x 41.27 x 31.11	4.0	1.8
20″	X	Matte	20.12 x 18.25 x 14.00	51.10 x 46.35 x 35.56	5.5	2.5
26″	X	Gloss	26.12 x 23.37 x 18.25	66.34 x 59.35 x 46.35	11.0	5.0
30″	X	Gloss	30.25 x 26.87 x 21.00	76.83 x 68.24 x 53.34	17.0	7.7



Saucers sold separately: 20″, 26″, 30″



Saucer Dimensions/ Dimensiones del plato						
	Sold w/Pot	Finish	D x H (in)	D x H (cm)	lbs	kg
12″ TUFF Series	✓	Matte	10.4 x 1.30	26.41 x 3.30	0.6	0.3
14″ TUFF Series	✓	Matte	10.0 x 1.00	25.4 x 2.54	0.5	0.2
16″ TUFF Series	✓	Matte	13.0 x 2.00	33.02 x 5.08	1.0	0.4
18″ TUFF Series	✓	Matte	15.3 x 2.30	38.86 x 5.84	1.1	0.5
20″ TUFF Series	X	Matte	16.5 x 2.70	41.9 x 6.85	1.4	0.6
26″ TUFF Series	X	Gloss	21.2 x 3.50	53.84 x 8.89	3.0	1.3
30″ TUFF Series	X	Gloss	25.0 x 3.90	63.5 x 9.90	4.5	2.0



TRADITIONAL COLLECTION


Venus


Really Big Pot


Classic


Rectangular Decorated


Square Planters


Round Decorated




Colonial


Urn Planter



Square Decorated



VENUS SERIES




Pot Dimensions				
	D x H x E (in)	D x H x E (cm)	lbs	kg
20″	20.00 x 17.00 x 11.56	51.11 x 43.18 x 29.37	4.7	2.1
24″	24.00 x 20.44 x 13.88	60.96 x 51.90 x 35.24	8.6	3.9
28″	28.13 x 24.00 x 16.13	71.43 x 60.96 x 40.95	13.8	6.2
32″	32.00 x 27.50 x 18.50	81.28 x 69.85 x 47.99	13.8	6.2



Sold with saucer



Saucer Dimensions				
	D x H (in)	D x H (cm)	lbs	kg
20″ Venus Series	14.5 x 1.5	36.83 x 3.81	1	0.4
24″ Venus Series	17.44 x 2	44.3 x 5.08	1.2	0.6
28″ Venus Series	20.125 x 2.3	51.12 x 5.84	2.1	0.9
32″ Venus Series	22.93 x 2.75	58.24 x 6.99	2.1	0.9






CLASSIC SERIES




Pot Dimensions				
	D x H x E (in)	D x H x E (cm)	lbs	kg
16″	16 x 14.42 x 9.84	40.64 x 33.95 x 24.99	4.7	2.1
20″	20 x 18.63 x 12.28	50.8 x 47.32 x 31.19	7.3	3.3
24″	24 x 21.81 x 14.73	60.96 x 59.40 x 37.41	10.6	4.8
32″	32 x 28.91 x 19.62	81.28 x 73.43 x 49.83	18.8	8.52



Sold with saucer



Saucer Dimensions/ Dimensiones del plato		
	D x H (in)	D x H (cm)
16″ Classic Series	12.1 x 1.5	30.7 x 3.81
20″ Classic Series	15.1 x 2.0	38.35 x 5.08
24″ Classic Series	18.1 x 2.7	45.97 x 6.86
32″ Classic Series	24.3 x 3.1	61.72 x 7.87






COLONIAL SERIES

NS [MATTE]



Pot Dimensions				
	D x H x E (in)	D x H x E (cm)	lbs	kg
32″	31.87 x 27.00 x 23.50	80.94 x 68.58 x 59.70	17.0	7.7
40″	39.75 x 33.00 x 29.00	100.96 x 83.82 x 73.66	31.5	14.2

No saucer available



Accentuate your garden in style

The soft and earthy colours of this planter gives the perfect base for your plant. Although large, they are light weight and blend well in any interior or exterior.

Can an orange tree grow in this pot?

Citrus of all kinds can be grown in our Colonial Series. The most common are lemons, limes and oranges.




SQUARE PLANTER

NS [MATTE]



Pot Dimensions				
	L x H x W (in)	L x H x W (cm)	lbs	kg
19″	15.37 x 16.25 x 18.5	39.04 x 41.28 x 47.00	8.0	3.6

No saucer available



Contemporize your home or office

The Square Planter strikes the perfect balance between style and utility giving you the best of both worlds.



URN PLANTER


NS [MATTE]





Pot Dimensions						
	External Dimensions		Internal Dimensions			
	D x H (in)	D x H (cm)	D x H x E (in)	D x H x E (cm)	lbs	kg
22"	22.37 x 27.12	56.82 x 68.88	17.25 x 14 x 9	43.82 x 35.56 x 22.86	14.8	6.7

No saucer available



Where is the best spot for this pot?

An entryway is a great spot! You can manage that first impression and welcome guests into your home by displaying our Urn Planter on either side of your front door. Sculpted trees or natural arrangements can work well with this rustic planter.




ROUND DECORATED

[MATTE]




Pot Dimensions				
	D x H x E (in)	D x H x E (cm)	lbs	kg
14"	13.12 x 11.62 x 7.87	33.32 x 29.51 x 19.98	2.0	0.9
16"	15.50 x 13.25 x 9.00	39.37 x 33.65 x 22.86	2.7	1.2
20"	19.37 x 16.50 x 11.37	49.19 x 41.91 x 28.88	4.6	2.0
26"	25.25 x 21.00 x 15.12	64.13 x 53.34 x 38.40	7.4	3.3



Sold with saucer



Saucer Dimensions/ Dimensiones del plato				
	D x H (in)	D x H (cm)	lbs	kg
14" Round Decorated Planter	9.6 x 1.1	24.38 x 2.79	0.4	0.1
16" Round Decorated Planter	10.8 x 1.5	27.43 x 3.8	0.5	0.2
20" Round Decorated Planter	13.7 x 1.5	34.8 x 3.8	1.0	0.4
26" Round Decorated Planter	18.3 x 2	46.48 x 5.08	1.2	0.6






SQUARE DECORATED

NS [MATTE]



Pot Dimensions				
	L x H x W (in)	L x H x W (cm)	lbs	kg
21″	19.37 x 18.75 x 21.25	49.20 x 47.63 x 53.98	13.0	5.8

No saucer available



What happens if you use garden soil in a pot?

Your garden soil may contain weed seeds, insects and fungal diseases. Also garden soil is heavy, this makes the pots harder to lift than if you use potting mix.




RECTANGULAR DECORATED

NS [MATTE]



Pot Dimensions				
	L x H x W (in)	L x H x W (cm)	lbs	kg
31″	13.26 x 12.50 x 30.50	33.66 x 31.75 x 77.47	9.80	4.4

No saucer available



Rectangular pots don't need to be watered as frequently as tapered pots.

Unlike tapered pots, rectangular planters have more soil volume in the lower half of the container. This enables the soil to retain moisture better.

CARING FOR YOUR POTS & PLANTERS

When cleaning your planter, use a mixture of antibacterial dish soap and water.

For pots with a matte finish, we suggest using a soft bristle brush and for pots with a gloss finish, a soft cloth should be used.

Completely saturate your soft bristle brush/soft cloth with your antibacterial dish soap and water mixture and scrub your pot until it's clean.

Never use an abrasive cleaner that may burn or corrode. Also do not use products containing chlorine or other bleaching ingredients.



No harsh chemicals



Soft cloth



Water



Mild detergent



STURDY Rope

YELLOW TWISTED POLYPROPYLENE ROPE

- Strong synthetic fiber weave
- Resistant to oil & more
- Reduced slip & low stretch
- Ideal for wet environments
- Uv resistant

			SPOOL		COIL	
SIZE	BREAKING LOAD	FT. PER Lb	WEIGHT	LENGTH	WEIGHT	LENGTH
3/16”	650 lbs	1 pound=87 ft	24.75 lbs	2,160 ft	--	--
1/4”	1,631 lbs	1 pound=76 ft	23.75 lbs	1,800 ft	9.50 lbs	720 ft
5/16”	1,710 lbs	1 pound=50 ft	21.60 lbs	1,080 ft	15.0 lbs	720 ft
3/8”	2,430 lbs	1 pound=33 ft	21.60 lbs	720 ft	--	--
7/16”	3,150 lbs	1 pound=29 ft	25.20 lbs	720 ft	27.0 lbs	720 ft
1/2”	3,780 lbs	1 pound=23 ft	21.60 lbs	500 ft	--	--
5/8”	5,580 lbs	1 pound=14 ft	20.00 lbs	240 ft	51.8 lbs	720 ft
3/4”	7,850 lbs	1 pound=10 ft	--	--	75.0 lbs	720 ft
1”	12,825 lbs	1 pound=6 ft	--	--	129.6 lbs	720 ft



SISAL ROPE (NATURAL FIBER)

SIZE	COIL	
	WEIGHT	LENGTH
1/4”/6 mm	13 lbs	720 ft
5/16”/8 mm	19 lbs	720 ft
3/8”/10 mm	27 lbs	720 ft
1/2”/12 mm	50 lbs	720 ft
5/8”/16 mm	91 lbs	720 ft
3/4”/18 mm	115 lbs	720 ft
1“/24 mm	192 lbs	720 ft
1 1/18”/28 mm	247 lbs	720 ft
1 1/4“/30 mm	286 lbs	720 ft
1 1/2”/36 mm	410 lbs	720 ft
2”/48 mm	734 lbs	720 ft



WIRE ROPE

Galvanize, Steel or Stainless Steel

AVAILABLE IN

- 3/16”
- 1/2”
- 1/4”
- 1.0”

Also Available Rings, Thimbles & crimping of Hooks



CALYPSO FISHING ROPE

- Lightweight
- Strong and durable
- Easy on hands
- Abrasion, UV and rot resistant
- Retains shape when wet
- Floats and does not absorb water




ROPE DATA

Material: Polypropylene (Yellow & Black)
3 Strand Twist Pattern
Specific Gravity: 0.91
Operating Temperature: Up to 80^{O} C

ROPE SPECS			COIL	
SIZE	BREAKING LOAD	FEET PER POUND	WEIGHT	LENGTH
1/4”-7mm	1,631 lbs	1 pound =76.00 ft	9.50 lbs	720 ft
5/16”	1,710 lbs	1 pound =50.00 ft	15.00 lbs	720 ft

TWINE

WEIGHT	LENGTH
0.25 lb	427 ft
2.00 lb	2000 ft
3.50 lb	3500 ft
4.00 lb	3500 ft



ROPE CENTRE

This Rope Centre creates a vertical storage space to display rope to be sold by various lengths.


Easy rope dispensing
Minimal floor space
Mounted on wheels for mobility
Convenient measuring tool

Available Colours





DIMENSIONS



ROTOPLASTICS
BARBADOS LIMITED

25 A Webster Industrial Park
Wildey, Barbados, BB14006

+1 (246) 436-TANK (8265)

info@rotoplastics.com.bb

www.rotoplastics.com.bb